


## PRODUCT CATALOGUE







## WHY SIGNAGE?

Imagine a world without signage. Where would you go and how would you get there?

Your signage is often the public's first impression of you. This is your opportunity to make a positive impact while delivering all the safety messages needed to protect customers as they enter your premises.

Clear durable signage ensures your safety message is consistently displayed even when you're not there in person. Customers quickly pick up on visual cues and will appreciate your attention to safety details.


As well as being Safety Signage Experts, we also print a wide range of custom signage for just about any situation that you can think of. This is your marketing, your brand, and your identity on display for all to see!

Whether it is promoting your business, creating awareness, or providing instruction, the team at Safety Genius have 60+ years' combined experience to provide you with the right solution for your specific needs.





**safetygenius**.co.nz



## WHY ARE SAFETY SIGNS IMPORTANT?

Safety signs and labels are one of the main means of communicating health and safety information. All workplaces are required under the Health and Safety at Work Act 2015 and subsequent amendments, codes of practice and regulations, to provide a safe workplace.

Having a robust and effective health and safety system requires all hazards to be identified, then either eliminated, isolated or minimised. Compliant signage helps meet these requirements.

Most signs contain a symbol or pictogram and must be of a specific colour which clearly defines its meaning. Supplementary text may also be used to help understanding.



## SAFETY SIGNS CAN BE SUMMARISED BY THE FOLLOWING:



Fire safety signs show the location of fire fighting equipment and alarms and give instruction (white symbol / text, red background)




Warning signs indicate immediate hazards exist/ are present and instruct that immediate care must be exercised. A symbol and text can describe the hazard (black text / symbol, yellow background)



Mandatory signs indicate an action that needs to be applied to the area to ensure work is carried out safely (white on blue / black text)



Emergency information signs are to indicate the location of related facilities such as exits, safety gear, etc (white symbol / text, green background)





# SAFETY, SUSTAINABILITY AND INNOVATION

Clear, effective and long-lasting safety signage requires an understanding of design, materials and manufacturing.

As a New Zealand-based manufacturer of safety signage and safety solutions, we estimate about 95% of the products we sell are made in our factory in the Waikato. Our extensive range of print technology has extended our capabilities to print solvent-free and environmentally friendly jobs, whatever your printing and signage requirements may be.

## **VIEWING SIZES**





## ORDERING INFORMATION

Our safety signs and labels are made to suit New Zealand and Australian standards NZ/AS 1319-1994.

Our signs can be manufactured using varying types of material, giving you the option to find the best product for your environment.

Some of our core range of materials on hand are listed, but we are not limited to what is displayed here. We will manufacture or source supplies to meet our customer demand.

SELF-ADHESIVE	SA	Applied directly to substrate, suitable for exterior use to clean, flat surfaces
CORFLUTE	CF	Lightweight corrugated plastic board
ACM PANEL	ACM	Aluminium composite material, exterior use, UV stabilised – not magnetic
LUMINOUS	LUM	Glows in the dark
MAGNETIC	MAG	Flexible magnetic sheeting




## **CUSTOMISED SIGNS**

Our company can produce signage to your exact requirements without lengthy turnaround times. By keeping well-informed and up-to-date with new and forthcoming regulations, we ensure you are getting the right product for your environment.












## STOCK SIGNS

Customise these stock signs with your own message or add your company logo!







Please Note: Our signs are robust and made to last when well maintained. Should general wear and tear – or vandalism – make your signage difficult to read, that's the time for replacment.

## ADD LAMINATE TO ANY SIGN

Clear protective laminate provides an extra layer of durable protection that will keep your signage looking new and fresh for much longer. Laminate your signs for:

**Durability & Longevity:** The protective laminate adds durability and prolongs the life of the print, reducing scratches and wear. Your signage will be much easier to clean with a laminated surface.

**UV Protection:** Your signs will retain their colour and contrast longer with the UV protection provided by laminate. This added layer of defence helps reduce fading caused by the sun.

**Minimising Damage:** Laminate protects your signs from damage caused by environmental conditions as well. The protective laminate guards your prints against heat, moisture, dirt, and dust.

## STARTER PACKS

Safety Genius Starter Packs are bundles of signs designed for cost savings for your particular business.



### OFFICE SIGN STARTER PACK

Includes:

1x Assembly Point 240 x 340mm ACM | EM806-S

1x First Aid 240 x 340mm ACM | EM805-S

1x Exit 340 x 200mm ACM | EX701

 $1 \times Male 1 \times Female 1 \times Disabled 200 \times 200 mm ACM \mid GS1209, GS1208, GS1210$ 

1 x Reception 400 x 100mm ACM | GS1218



### FARM SIGN STARTER PACK

Includes:

1x Hazchem Diesel Tank 680 x 620mm SA | HA950

1x Warning Multiple Hazard Area Hazchem 450 x 450mm ACM | WSHC

3 x Fuel ID Tags – 1 x Unleaded, 1 x 2-Stroke, 1 x Diesel ACM | FTU, FT2S, FTD

1x First Aid 240 x 340mm ACM | EM805-S

1x Multiple Hazard Area Health & Safety Act 2015 240 x 340mm ACM | MS601-S



### WORKSHOP SIGN STARTER PACK

1x Assembly Point 240 x 340mm ACM | EM806-S

1x First Aid 240 x 340mm ACM | EM805-S

1 x Exit 340 x 200mm ACM | EX701

1 x Male 1x Female 1x Disabled 200 x 200mm ACM | GS1208, GS1209, GS1210

1x Reception  $400 \times 100$ mm ACM | GS1218

1x Fire Extinguisher 240 x 340mm ACM | FS902-S

1 x Multiple Hazard Area Health & Safety Act 2015 240 x 340mm ACM | MS601-S

1x No Entry Authorised Personnel Only 240 x 340mm ACM | PS302-S



## FIRST AID SIGN STARTER PACK

1 x First Aid 240 x 340mm ACM | EM802-S

 $1 \times CPR$  Instructions  $300 \times 450 mm$  ACM | CPR100-M

 $1\,x$  Emergency Eye Wash 240 x 340mm ACM  $\,\mid\,$  EM808-S

1 x First Aid Fire Extinguisher Inside 200 x 100mm SA | FAFE-SA



### CONSTRUCTION SIGN STARTER PACK

1x First Aid 340 x 240mm ACM | EM802-S

1x Multiple Hazard Area Health & Safety Act 2015 240 x 340mm ACM | MS601-S

1x PPE Must be worn at all times  $450 \times 300$ mm ACM | MS635-M

 $1\,x$  Danger Keep Out Construction Site 450 x 300mm CF  $\,\mid\,$  CS1303-M

1x On Site Hazard ID Board 480 x 600 ACM | HIB1001-L

1x Danger Construction Multi Hazard Sign 600 x 900 CF | DCS2001

## HAZCHEM SIGNS

A substance is hazardous if it exceeds the threshold for one or more hazardous properties. Most hazardous substances will have more than one hazardous property; for example, petrol is flammable, toxic and ecotoxic. Each of the seven listed properties below has different levels of hazard – from the least to the most hazardous. In New Zealand, the Hazardous Substances and New Organisms Act (HSNO Act) provides controls for all the hazardous properties of a substance.



Transporters, handlers, manufacturers or storers of dangerous goods



NZS 5433: 1999 Transport of dangerous goods on land

## THE HAZARDOUS PROPERTIES ARE:

EXPLOSIVE		FLAMMABLE		OXIDIZING	TOXIC	RADIOACTIVE	CORROSIVE	ECOTOXIC
Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Class 8	Class 9
1.4 EXPLOSIVE 1.5 EXPLOSIVE 0 TS120 1.6 DPLOSIVE	TS113  TS120  TS127  TS124	PLAMALIE I SQUID	TS129  TS129  TS129	GLISCHING AGENT ULI TS117 ONGANCE PRINCIPE TS124	TOUR TS 115 INTECTIONS SIGNATURE TS 122 TS 128	SAGIOACTIVE FE 138	TSTIE TSLO	TS125  HSICHLIANGUA  GANGE 2005  ODOOS  TS137

## HAZCHEM SIGNS



## GHS – GLOBALLY HARMONISED SYSTEM







**TS001** 400 x 400mm SA or ACM

SIZE MM	SA	ACM
50 x 50 24 per sheet	•	
100 x 100 pkt of 10	•	
250 x 250	•	
295 x 295		•
400 x 400		•

## HAZCHEM SIGNS

Each of us has a responsibility to help safeguard people and protect the environment, particularly when hazardous substances and dangerous goods are involved. People handling hazardous substances, including chemicals in the workplace, need immediate access to critical information such as:

- What hazardous substances are present.
- The nature and extent of the hazard presented by the substance.

• Any necessary precautions to use the substances safely and avoid any adverse environmental effects, and action required in an emergency.

Simple requirements such as product labels, workplace and transport documentation and warning signage are essential aids to recognise hazards quickly and accurately manage associated risk.

Source: Signage for Premises Storing Hazardous Substances & Dangerous Goods - New Zealand Industry Council Inc.



## TS152

600 x 150 ACM | SA



### TS153

600 x 150 ACM | SA



### TS154

600 x 150 ACM | SA



FS140 400 x 600 ACM | SA



FS170

600 x 480 ACM | SA

## TRANSPORTING DIESEL AND OTHER ENVIRONMENTALLY HAZARDOUS SUBSTANCES (UN 3077 AND UN 3082).



UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S (DIESEL)









For containers over

50 x 50 diamonds

Overall label size

5 litres up to 25 litres

TS200

150 x 200

100 x 100 diamonds Overall label size 300 x 200



TS125

For Tank Wagons, Tank Trailers and containers over 450 litres 250 x 250 diamonds **Emergency Information Panel** 297 x 420 (S) or 400 x 600 (L) SA | ACM

NO PARKING

WITHIN

5

**METRES** 



### TS107

Sizes start from 600 x 400 1-6 DG labels available on ACM | SA



### TS177

Sizes start from 600 x 400 1-4 DG labels available on ACM | SA

### SITE ENTRANCE HAZCHEM SIGNS

Entrance signs are required on the main entrance to the property. This may also include transition areas within the site that are not direct entrances to the storage area. An entrance Hazchem sign will include the following information:

- All Dangerous goods diamonds 100 x 100mm related to product stored on site
- · Emergency contact information




### TS150

Sizes start from 800 x 900 1DG labels available on ACM | SA

### BULK STORAGE AREAS

Where there is bulk storage of hazardous chemicals, a Hazchem sign is needed. The requirement for bulk storage signage is determined by the quantities outlined in the HSNO approved Code of Practice. A Bulk Storage Hazchem sign includes the following information:

- The word HAZCHEM at 100mm high on a Orange background
- The 250mm dangerous goods diamond relative to the product being stored
- Precautionary information (i.e No Smoking, No Naked Flames)
- The Hazchem Code 100mm high
- · The UN No. and the name of the product
- On site emergency contact information



### TS151

Sizes start from 480 x 600 3 DG labels available on ACM | SA

### MIXED STORAGE HAZCHEM SIGNS


For storage areas that have more than one hazardous substance stored. A Mixed Storage Hazchem sign will include the following information:

- All Dangerous goods diamonds 100 x 100mm related to product stored on site
- Precautionary information (i.e No Smoking, No Naked Flames)
- Emergency contact information



## Safety Data Sheet Document Holder

- Safety Data Sheet holder holds A4 sheets.
- Constructed from high quality polyethylene - resistant to corrosion, no risk of rust, and also weatherproof.
- Approx. measurements (mm) 308 x 230 x 45 (H x W x D)
- · Attach this to your Dangerous Goods Cabinet or to the outside of your building so all your Hazardous Substance Data Sheets are readily available.



## MANDATORY SIGNS



A blue circle with white symbols denoting a sign that indicates a specific course of action must be taken







MS602





MS601

MS603

MS604



MS605













MS607

MS608

MS609

MS610

GOGGLES

MUST BE WORN



MS611

HAND PROTECTION MUST BE WORN

MS612





MS613



MS614







MS615

MS616



MS617







MS618

MS619

MS620







MS635

MS633

MS634

Icons can be customised







MS651

MS652

SA	ACM
•	
	•
	•
	•
	SA •

## MANDATORY SIGNS



MS621



MS622





MS624









MS623



HAIR PROTECTION MUST BE WORN IN THIS AREA

MS625

MS626

MS627

MS628



EYE AND HEARING

PROTECTION

MUST BE WORN IN THIS AREA

MS640







MS632

MS629

MS630

HEAD, EYE AND HEARING PROTECTION MUST BE WORN IN THIS AREA






MS641

MS642

## PLEASE SIGNS



PL800





PL804



PL808





PL805



PL809



REMOVE DIRTY FOOTWEAR

PL802

PLEASE

**KEEP THIS** 

GATE

CLOSED

PL806

PLEASE

DO NOT DEPOSIT SANITARY NAPKINS IN TOILET BOWLS. USE CONTAINER PROVIDED FOR THIS PURPOSE

PL810



PL803



PL807



PL811

SIZE MM	SA	ACM
330 x 145	•	
450 × 200		•

SIZE MM	SA	ACM
250 x 170	•	
340 × 240		•
450 x 300		•
600 x 480		•

## **NOTICE SIGNS**

NOTICE

YOUR OWN MESSAGE HERE NOTICE

ALL VISITORS MUST REPORT TO SITE OFFICE UPON ARRIVAL

NS500 NS501

**ALL TOOLS MUST BE RETURNED** AFTER USE

NS502

NOTICE

NOTICE

ALL ACCIDENTS MUST BE REPORTED

NS503

NOTICE

NS508

NOTICE

NO EATING OR DRINKING IN THIS AREA

NS504

NOTICE

THESE DOORS MUST BE KEPT CLOSED

NS505

NS506

NOTICE

NO ENTRY UNLESS ACCOMPANIED BY A STAFF MEMBER

NS507

NOTICE

**AUTHORISED KEEP CLEAR** PERSONNEL AT ALL TIMES ONLY

NOTICE

**NO VEHICLES BEYOND THIS** POINT

NS509

NOTICE

NO ADMITTANCE

NS510

NOTICE

**ALL VISITORS** MUST REGISTER AT OFFICE

NS511

NOTICE

PARKING ON SITE AT YOUR OWN RISK NOTICE

PRIVATE **PROPERTY**  NOTICE

**NO ENTRY** 

NS514

NS512 NS513

NOTICE

THIS GATE MUST BE KEPT CLOSED NOTICE

ALL VISITORS MUST REPORT TO RECEPTION UPON ARRIVAL

NOTICE

THIS AREA MUST BE **KEPT CLEAN & TIDY** AT ALL TIMES

NOTICE

IF DESK IS UNATTENDED RING BELL

NOTICE

TRAINED PERSONNEL ONLY TO USE EQUIPMENT IN THIS VICINITY

NS515 NS520 NS521


NS522

NS523

Customise your own multiple warning sign with symbols / images and text to suit your specific requirements

SIZE MM	SA	ACM
250 x 170	•	
340 x 240		•
450 x 300		•
600 x 480		•

**INSERT YOUR CHOSEN IMAGES HERE** 





## WARNING SIGNS





SIZE MM	SA	ACM
330 x 145	•	
450 x 200		•







WS221























WS232

MIND THE STEP

WS233











WS300

SIZE MM	SA	ACM
170 x 250	•	
240 x 340		•
300 x 450		•
480 x 600		•















5	WS1037	

SIZE MM	SA	ACM
100 x 150	•	

## **PROHIBITION SIGNS**



NOT DRINKING WATER



















PS307



PS308





PS309

PS305



NO VEHICLE ENTRY

PS311













PS314

PS310

NO

SMOKING











PS347

PS327

PS328

SIZE MM SA ACM  $170 \times 250$ 240 x 340 • 300 x 450 480 x 600

PS329 PS346

NO VAPING BEYOND THIS POINT

PS348

NO SMOKING OR VAPING BEYOND THIS POINT

PS349







PS317

PS316



PS318

PS315





PS320





PS322

PS321



**SMOKING** 

PS324

PS325





PS331



PS332

200 × 200 • •	

SIZE MM

330 x 145

450 x 200

SA

ACM

**Prohibited** signs definition

**Danger and Prohibition Signs** 

in red alert users to nearby

obstacles or areas where

restrictions or hazards

are in place.



PS330





PS326 Card of 4 labels 40 x 50 | SA



PS340 Folded PVC 100 × 100

## DANGER SIGNS



DS400



DS404



**DS408** 



DS412



**DS416** 



SIZE MM SA ACM 250 x 170  $340 \times 240$ • 450 x 300 600 x 480



DS401

DANGER

DO NOT OPERATE

WITHOUT

**GUARDS IN PLACE** 

DS405

DANGER

ENTRY OF

UNAUTHORISED

PERSONS PROHIBITED

DS409

DANGER

OPEN PIT

DS413



DANGER

NO ENTRY

DS402

DS406



DS410



DS414



DS418



**DS420** 



DS403



**DS407** 



**DS411** 



DS415



DS419



DS175

FS923

## FIRE SIGNS













FS901

FS902

FIRE

**HYDRANT** 

FS907

FIRE **FIGHTING EQUIPMENT** 

FS908



FS909



FS910

FIRE HOSE

REEL

FS912

FIRE

**EXTINGUISHER** 

SIZE MM SA ACM  $170 \times 250$ 240 x 340  $300 \times 450$ 480 x 600

**FIRE DOOR** 

**EMERGENCY ONLY** 

FS913

EXT960 EXT961 100 x 400 Lum SA | ACM



200 x 200 | SA | ACM



FS922

120 x 170 | SA | ACM These Fire Alarm Signs may need a 1 or 9 before "111" depending on the buildings phone system. Talk to our team about your specific requirements.



120 x 135 | SA | ACM





FIRE DOOR

PLEASE KEEP

CLOSED



FIRE

WARDEN FWAB YELLOW

**FWV 100** S, M, L, XL, 2XL, 3XL Available in yellow, orange and pink







FIRE DOOR DO NOT BLOCK

FS916



SIZE MM SA ACM 330 x 145 450 x 200

FS917

SMOKE

CONTROL

DOOR



SIZE MM SA 100 x 60

FD101 FD102



SMOKE CONTROL DOOF

PLEASE KEEP

CLOSED

FD100

EXT950



**EXT952** 





SIZE MM ACM SA  $200 \times 400$ 300 x 600

## **EMERGENCY SIGNS**



EX701  $340 \times 200$ 

SA | ACM



EX710

330 x 145 | SA

450 x 200 | ACM

EX703 EX705 250 x 170 | SA  $340 \times 200$ SA | ACM 450 x 300 | ACM



240 x 100 | SA | ACM



() FIRE ACTION

240 x 300 | SA | ACM

FIRE ACTION

300 x 100 | SA | ACM



EX709 450 X 200 | SA | ACM





EX711 (L OR R) 330 x 145 | SA 450 x 200 | ACM



EX712 450 x 200 SA | ACM



EX713 330 x 145 | SA 450 x 200 | ACM

EX716 (L OR R)

330 x 145 | SA







**EMERGENCY** 

**EXIT** 

STOP EX720

100 x 50 | SA | ACM

**EMERGENCY** 



250 x 100 | SA | ACM



200 x 200 | SA | ACM



200 x 200 | SA | ACM



EX706 100 x 100 | SA | ACM



200 x 200 | SA | ACM

INSIDE



EM890 100 x 100 | SA



EM891 100 x 100 | SA



**FAFE** 200 x 100 | SA



EM888 300 x 450 | ACM 480 x 600 | ACM





EM802



EM803



EM804







**EMERGENCY EYE WASH** 

EM808



EM811

EM805

**\** 

EM812











**CPR 100** 











SKG803

SIZE MM SA ACM  $170 \times 250$ 240 x 340 300 x 450 • 480 × 600

EM810

EM809

240 x 300 | SA | ACM



## **GLOW IN THE DARK**



LUME1704 150 x 150 ACM



LUME1703R 300 x 200

LUME1703L

 $300 \times 200$ ACM



LUME1702 240 x 150 | ACM 300 x 200 | ACM



240 x 150 | ACM

300 x 200 | ACM





LUME1705R 240 x 150 | ACM 300 x 200 | ACM



## **ELECTRICAL SIGNS**











ES1002

ES1003

ES1004

ES1010

SIZE MM	SA	ACM
250 x 170	•	
340 x 240		•
450 x 300		•
600 x 480		•



ES1006 330 x 145 | SA 450 x 200 | ACM



ES1005 330 x 145 | SA 450 x 200 | ACM









DANGER LIVE

CABLE

ES1022



ES1023

200 x 80 | SA | ACM



ES1025 DS

65 x 200 | PVC

Double sided pack of 50 tags giving you the option of a portrait or landscape message. Easy to fix in place with multiple pre-drilled holes.



FL1511

ES1030 50 x 50 | 100 x 100 200 x 200 | SA | ACM



WS1031 100 x 150 | SA



ES1007



RISK OF ELECTRIC SHOCK WS229

WARNING

SIZE MM	SA	ACM
170 x 250	•	
240 x 340		•
300 x 450		•
480 × 600		•

## **PADLOCKS**

Portable Padlock Lockout Station (12 holes) PPLS – 12



 Made from engineering plastic this sturdy unit can carry up to 12 padlocks Safety Padlock 38mm Hasp SKU: SPL 38



- A 38mm high, 6mm wide steel hasp (shackle)
- PA body
- Features a 6 pin lock cylinder, key retention, and 2 keys per lock
- This padlock will tolerate temperatures from -57° to +177°

Safety Padlock 38mm Dielectric Hasp SKU: SPLD 38



- A 38mm high, 6mm wide nylon hasp (shackle)
- PA body
- Features a 6 pin lock cylinder, key retention, and 2 keys per lock
- This padlock will tolerate temperatures from -57° to +177°

Lockout Hasp 25mm LOH25

**HASPS** 



- Galvanised Steel Hasp with Nylon PA coated handle
- The Hasp's internal diameter is 25mm, and its 6 lockout holes are 10mm in diameter

Lockout Hasp 38mm LOH38



- Galvanised Steel Hasp with Nylon PA coated handle
- The Hasp's internal diameter is 38mm, and its 6 lockout holes are 10mm in diameter

Lockout Hasp Long 43 x 173 LOHL – K42



 Push design Nylon lockout hasp with 9mm diameter holes for padlocks

Safety Padlock 38mm Thin Shackle SKU: SPLT 38



- A 38mm high, 4mm wide steel THIN hasp (shackle)
- PA body
- Features a 6 pin lock cylinder, key retention, and 2 keys per lock
- This padlock will tolerate temperatures from -57° to +177°

Safety Padlock Dust Proof SKU: SPLDP 38



- A 38mm high, 6mm wide steel hasp (shackle)
- PA body
- Features a 6 pin lock cylinder, key retention, and 2 keys per lock.
- This padlock will tolerate temperatures from -57° to +177°
- Plus dust proof rubber sleeves at the bottom of the hasp and a dust proof cover over the key hole

Safety Padlock 76mm Long Shackle SKU: SPL 76



- A 76mm high, 4mm wide steel LONG hasp (shackle)
- PA body
- Features a 6 pin lock cylinder, key retention, and 2 keys per lock.
- This padlock will tolerate temperatures from -57° to +177°

Snap On Lockout Hasp II Red SOLH – RED



- Aluminium snap on lockout, for up to 5 padlocks
- Lightweight but sturdy
- Internal height of the Hasp's main loop is 55mm

Lockout Hasp 25mm LOH6Y – K51



- Aluminium lockout hasp, for up to 6 padlocks
- Lightweight but sturdy
- Internal height of the Hasp's main loop is 33mm

CODE = SKU + COLOUR + either KD (Keyed Differently) OR KA (Keyed Alike) e.g. CODE = SPL 38 YELLOW KD

## **ELECTRICAL LOCKOUT**

Miniature Circuit Breaker Yellow 10mm wide MCB – Y 45X25



- Reinforced Nylon PA
- Easy to lock with a screwdriver
- Accommodates one safety padlock

Miniature Circuit Breaker Blue 23mm wide MCB – Y 51X25



- Reinforced Nylon PA
- Easy to lock with a screwdriver
- Accommodates one safety padlock

Medium Circuit Breaker Yellow MCB – Y 125X63



- Reinforced Nylon PA
- Easy to lock with a screwdriver
- Accommodates one safety padlock

Miniature Circuit Breaker Pin Out MCBPO – D01



- Made from Nylon PA
- Pin OUT for hole spacing up to 12mm

Miniature Circuit Breaker Pin In MCBPI – D02



- Made from Nylon PA
- Pin IN for hole spacing up to 12mm

Switch Lockout Case 50 x 47 SWLOC



- High strength transparent resin case, to prevent access to buttons
- Inner diameter of hole in red base is 22mm

Electrical Plug Lockout EPL



- Made from PP Engineering Plastic
- Will accommodate 2 padlocks for safe lockout
- Available in 3 sizes to suit:
   13mm cable | EPL 13
   20mm cable | EPL 20
   25mm cable | EPL 25

Circuit Breaker for up to 12mm switch CB – D17



- Die-cast aluminium with plastic coating
- Accommodates a 12mm thick switch, and 1 padlock for safe lockout

Basic Lockout Kit



- Handy carry pouch
- 5 hardwearing lockout tags
- 2 x yellow MCB 10mm wide
- 1 x blue MCB 23mm wide
- 1x 38mm Safety Padlock steel hasp1x 38mm Safety Padlock
- dielectric hasp
- 1x Plastic Lockout Hasp Long

SERVICING YOUR SAFETY NEEDS

At Safety Genius, we provide health and safety signage and solutions to support a range of industries:



## Electrical

We provide for all electrical signage and solutions to ensure maintenance and repair can be undertaken safely.



## Manufacturing

Our range of signage helps to ensure workplace health and safety standards are met and staff can work in a safe environment.



### Roading

Visibility is essential in the roading industry, for staff and vehicles. Our range of signage ensures your brand won't be missed.



### Construction

Keeping construction sites safe and secure requires a range of effective signage solutions. At Safety Genius we have them all.

Check out our full range online **safetygenius**.co.nz

## **LOCKOUT TAGS**

DANGER (White) Do Not Operate

– Tags Pkt 25
ES1051 SYNTHETIC 80X145



• Hardwearing write-on tags

DANGER (White) Do Not Operate

– Tags Pkt 25
ES1060 SYNTHETIC 80X145



• Hardwearing write-on tags

DANGER (Red/White) Locked Out – Tag Pkt 25 ES1061 SYNTHETIC 80X145



• Hardwearing write-on tags

WARNING Out Of Service

– Tags Pkt 2
ES1053 SYNTHETIC 80X145



- Hardwearing write-on tags
- Double sided same on both sides

WARNING – Blank Tags Custom Printed – Pkt 25 ES1057 SYNTHETIC 80X145



- Hardwearing write-on tags
- Double sided same on both sides
- We can custom print your message on these tags

OUT OF SERVICE Do Not Operate (yellow / black chevron) – Tags Pkt 25 ES1070 SYNTHETIC 80X145



• Hardwearing write-on tags

## **LOCKOUT STATIONS**

Lockout Station 4 LOS4



- Available with or without components
- LOS4C | With components
   4 SPL 38 RED padlocks
   2 x 25mm hasps
   25 lockout tags

Lockout Station 10 LOS10



- Available with or without components
- LOS10C | With components
   10 SPL 38 RED padlocks
   4 x 25mm hasps
   50 lockout tags

Lockout Station 20 LOS20



- Available with or without components
- LOS20C | With components 20 SPL 38 – RED padlocks 6 x 25mm hasps 100 lockout tags

Lockout Box Red 230 x 150 x 95 LOBR



- A portable lockbox to secure keys while equipment is being worked on. Each authorised employee places a personal lock onto the box, removing them only when repairs are complete.
- Accommodates up to 12 padlocks for extra safety.
- Padlocks sold separately

Lockout Box Red Large Vertical 163 x 350 x 95 LOBR – LV



- A large portable lockbox to secure keys while equipment is being worked on. Each authorised employee places a personal lock onto the box, removing them only when repairs are complete.
- Padlocks, Hasps etc sold separately

Steel Case Lockout Station 30 – board only 580 x 30 x 90 LOS30 – STEEL CASE



- Steel Case with transparent and lockable front lid
- LOS30C STEEL CASE | With components

## GATE VALVE & CABLE LOCKOUTS

Gate Valve Lockout





5 diameter sizes available:
 25 – 64mm | GVL 25 – 64MM
 64 – 127mm | GVL 64 – 127MM
 127 – 165mm | GVL 127 – 165MM
 165 – 254mm | GVL 165 – 254MM
 254 – 330mm | GVL 254 – 330MM

Adjustable Cable Lockout 6mm, 1.8m ACL – 6MM (1.8M)



- 1.8m long, 6mm thick cable lockout
- Accommodates up to 4 padlocks

Fuel Tags FT2S | 2 STROKE

FT2S | 2 STROKE FTU | UNLEADED

FTD | DIESEL



- Fuel tags can be removed and re-attached as required with a simple locking feature, and includes the appropriate Hazchem label on the back of the tag.
- Sold as a packet of 10

Plastic Lead Hook PLHY



- Hardwearing plastic hooks to keep your cables off the ground
   preventing slips and trips!
- Sold as a packet of 10

Pneumatic Lockout Scissor Action PNL – SA



 Applied to pneumatic fittings to prevent reconnection to any source of pressure e.g. air compressors.

## **PVC TAGS**

Double sided PVC tags ES1025 – DS



• Double sided pack of 50 tags giving you the option of a portrait or landscape message. Easy to fix in place with multiple pre-drilled holes.



Safety Data Sheet Document Holder SDS – DH



- Constructed from high quality polyethylene – resistant to corrosion, no risk of rust and also weatherproof
- Approx. measurements (mm) 308H x 230W x 45D – holds A4 sheets

Wall Mounted Red / White Retractable Belt WMRWB – 3 or 5 or 10 (length)



- A retractable belt house in a plastic case. Comes with receiver for connecting to the wall opposite the housing
- Available in 3 lengths: 3m, 5m, 10m

## **BUILDING SIGNS**



GS1201

TOILET

GS1210

















GS1235



TOILET



TOILET

GS1238

SIZE MM SA ACM  $200 \times 200$ 



GS1206





GS1300





**ALL VISITORS** PLEASE REPORT TO OFFICE

GS1205

450 x 200 | SA | ACM







GS1213 100 x 100 | SA | ACM









450 x 200 | SA | ACM



GS1217

240 x 100 | SA | ACM

240 x 100 | SA | ACM

## RECEPTION





GS1220









ACM

SA



400 x 100 | SA | ACM





GS1225

GS1222 **PLEASE ENTER** 

GS1226

SIZE MM

400 x 100

MANAGER



GS1223

GS1224

RESERVED

GS1228

REST ROOMS

GS1229





GS1230

**INWARDS GOODS** 

GS1232

**OUTWARDS GOODS** 

GS1231



## TRAFFIC SIGNS



TR1101

STAFF

PARKING

TR1106

PROPERTY



TR1102

TR1107

KEEP

CLEAR

AT ALL

TIMES

TR1103



TR1116



TR1150



TR1151





TR1115



TR1119\*



TR1104\*\*



TR1105\*





TR1110\*

TR1108\*





TR1117

TR1109





TR1118



TR1111

PRIVATE

PROPERTY

TR1114

PARKING

TR1123\*



TR1112

CUSTOMER

PARKING

TR1121

**INWARDS** 

GOODS

TR1125



VISITOR

**PARKING** 

TR1122

**OUTWARDS** 

GOODS

TR1126

TR1113



TR1130

NOTE: \* Available with both left and right arrows

\*\* Can customise

Wit	th differe	ent
sp	eeds	

SIZE MM	SA	ACM
170 x 250	•	
240 x 340		•
300 x 450		•
480 x 600		•

## TRANSPORT SIGNS


An over dimension vehicle over 3.1 metres wide and escorted by a pilot vehicle must display an OVERSIZE sign.

### **OVERSIZE SIGNS MUST:**

- Comply with the illustrated dimensions
- Be mounted at the front and rear of the over dimension vehicle, so that the sign can be seen clearly by approaching drivers.

### THE SIGN MAY BE SPLIT INTO TWO PARTS, AS LONG AS:

- The word OVER and the word SIZE are on separate parts
- Both parts of the sign are mounted at the same height
- The combined length of the parts is at least 1100mm.







Each panel 550 x 300 | ACM

REFLECTIVE FLAGS

46

We make these to order. Almost any size and/or

text is possible. Get in touch to discuss.



TS605

Dangerous goods document satchel

DURING DAYLIGHT HOURS. THE SIGN MUST:

· Have matt black lettering on a yellow green background with a matt black border (unless the retro-reflective version below is used)

### DURING NIGHTIME HOURS, THE SIGN MUST:

- Consist of retro-reflective material with black lettering on a yellow green background
- Comply with AS/NZ 1906.1.1993 Retro-reflective materials and devices for road traffic control purposes, Part 1: Retro-reflective materials

You can't display an OVERSIZE sign on a vehicle unless you're required to by the Vehicle Dimensions and Mass Rule.

## **WIDE LOAD FOLLOWS**



TS102



TS103



TS104

## TRANSPORT SAFETY SIGNS

1100 x 520 | AL Single/Double sided

TS105 can be put on reverse of TS101, TS102, TS103 and TS104

Transport safety signs can be available in reflective material for day/night use. The signs can also be available for day use only.

### Night/Day

- diamond grade reflective

– yellow fluro

### ORDER OF DISPLAY OF PILOT SIGNS FOR VARIOUS SIZE LOADS

	WIDTH LESS THAN 3.1M	WIDTH GREATER THAN 3.1M AND UP TO INCLUDING 5M
First Pilot	Long Load Follows	Wide Load Follows
Second Pilot (if required)	Long Load Follows	Wide Load Follows
Over dimension load		
Rear Pilot	Long Load Ahead	Wide Load Ahead

### HAZARD WARNING MARKINGS AND SIGNS

Fluorescent yellow flags (at least 400mm long and 300mm wide) must be attached to indicate the:

- · Excess width of a vehicle or load at its front and rear
- The front of the load (if it has excess front overhang)
- The rear of the load (if it has excess rear overhang)
- The rear of the load (if it has excess length).

You may use retro-reflective hazard panels coloured yellow-green with an orange diagonal stripe instead of flags.

If you're travelling during the hours of darkness, the flags must be replaced with retro-reflective yellow-green hazard panels with an orange diagonal stripe.

### THE PANELS MUST:

- Comply with AS/NZ 1906.1.1993 Retro reflective materials and devices for road traffic control purposes, Part 1: Retro reflective materials
- Consist of retro-reflective material coloured yellow-green with a 200mm-wide diagonal orange stripe.



### HAZARD WARNING PANELS MUST BE ATTACHED TO INDICATE THE:

Fluorescent yellow flags (at least 400mm long and 300mm wide) must be attached to indicate the:

- Excess width on each side of an over width load or vehicle at its front and rear
- · Front of a load with excess front overhang
- · Rear of a load with excess rear overhang
- Rear of a load for excess length.

### THE PANELS MUST:

- Comply with AS/NZ 1906.1.1993 Retro-reflective materials and devices for road traffic control purposes, Part 1: Retro-reflective
- Consist of retro-reflective material with a 200mm wide chevron pattern with alternate yellow-green and orange retro-reflective sheeting
- Have the illustrated dimensions and orientation
- · Be frangible.

You can't display a hazard warning panel on a vehicle unless you're required to by the Vehicle Dimensions and Mass Rule.



350 x 300 | 406 x 356 | SA | ACM



## TS109

400 x 400 | SA | ACM



TS205 200 x 200 | SA

While operating under the terms of a HPMVz permit, the vehicle must display a retro-reflective 'H' sign to the front and rear that complies with AS/NZS 1906.1.2007 – Retro-reflective materials and devices for road traffic control purposes, Part 1: Retro-reflective materials.

On a standard motor vehicle, if the vehicle load is reduced below 44,000kg then the sign does not need to be removed, but may be. On an over-length vehicle the sign must remain in place at all times. A vehicle that does not have an HPMV permit is not allowed to display this sign.

## TRANSPORT SIGNS

### **MULTI-HAZCHEM FLIP SIGNS** DG FLIP

- Size: Backing Plate size 350 x 350
- Our multi-HAZCHEM flip signs hold a comprehensive range of dangerous goods placards for ease of use.

We can custom print the centre page with your own company logo – please get in touch to discuss.



## CONSPICUITY TAPE / REFLECTIVE-TAPE CST

- Sold per roll
- 50mm wide, 45 metre roll





REFLECTIVE ROAD SIGNS







Different speeds available







NO ENTRY RG9



SIZE MM	ACM
400 Diameter	•
600 Diameter	•
750 Diameter	•





600 x 250 | ACM 750 x 300 | ACM

Available left and right













RCS3

200 x 300 | PVC

900 x 600 | ACM 1200 x 800 | ACM

RCS1 300 x 450 | PVC

**PUT YOUR** MESSAGE ON A

RCS2 200 x 300 | PVC

Sign graphics for traffic cone products can be made to your requirements.

## **CONSTRUCTION SIGNS**

Construction sites can pose a variety of hazards to people in the vicinity of the work. Local authorities, construction companies and workers all have a part to play in ensuring the public are not endangered by construction work.

Employers have a legal responsibility to ensure that nothing they or their workers do will endanger members of the public by any action.

This means they should take steps to ensure that:

- Pedestrian detours are clearly defined, and pedestrians protected from the dangers of road traffic when using any detour.
- The passage of vehicles across footpaths is to be supervised, to remove danger to the public. Flagmen, barriers, signs or traffic lights are used to stop the public passing under suspended loads (unless there is a protective gantry).

- Excavations are fenced, and, if they are likely to retain water, are covered and securely fenced to prevent access for children.
- If in public places, they should have warning signs, and warning lights at night.
- Pneumatic tools are to have silencers, and piling dollies are to be of timber or neoprene so that noise is kept to acceptable levels.
- If scaffolding must intrude on to footpaths, it is to be clearly marked, and padded if there is any risk of causing injury. Adequate security of the site is to be provided during non-working periods. This involves ensuring excavations and openings are covered or fenced, materials are stacked safely, plant immobilised, and ladders removed or lowered to the ground.

Source: Guidelines For The Provision Of Facilities And General Safety In The Construction Industry.



CS1321

1220 x 800 | ACM



HIB1001

480 x 600 | ACM



480 x 600 | ACM





CS1322

600 x 1220 | ACM

OF THE HAZARDS WITHIN



CS1302

DANGER

WORKERS

ABOVE



CS1303

DANGER

DEMOLITION


**WORKS IN** 

**PROGRESS** 





CS1306



CS1308

CS1309



DCS2001



DCS2002



**CSHIB** 

	900 x 600
This Working Site sign has the option of having a logo added.	

SIZE MM	CF	ACM
600 x 900	•	
600 x 800		•



**CSSF** 480 x 600 | ACM



CS1325

## SITE SIGNS



CS1324 400 x 600 | ACM

Site hazard boards and staff indicator boards can be made to specific requirements. For example: Metal – so magnets can be used/moved. ACM - with a white board laminate for writing/ updating messages with a whiteboard marker.

HAZARD IDEN	TIFICATION BOARD
LOCATION	HAZARD
- 1-	
9 =	

CS1323 800 x 600 | ACM

200 x 100 | SA

## **FARMING SIGNS**

The farming industry has numerous health and safety requirements. Farmers must have a good knowledge of the following to ensure they are complying with current legislative requirements.

- Agri-chemicals
- Animal Handling
- Cleanliness
- Construction
- Electrical
- Engineering
- Fencing & Excavation
- Forestry
- Health Monitoring
- Manual Handling
- Noise
- Occupational Diseases
- Operating Heavy Equipment
- Recreational Visitors
- Silos, Bins and Tanks
- Solar Ultraviolet Radiation
- Woolshed Safety
- Workshop Safety
- Working at Heights
- Work-related visits to private land

(Note: This list is not exhaustive)





FM1403

## MS601

480 x 600

SIZE MM	SA	ACM
170 x 250	•	
240 x 340		•
300 x 450		•



## FM1408

250 x 170 | SA 450 x 300 | 600 x 480 | ACM





FM1406

600 x 600 | 750 x 750 – hinged at your request



## **GROUND SPIKE SIGN** FM299

Sign frame holds 450 x 300mm corflute sign. Single/double sided. "Warning" sign is shown as an example. Ask us about your site specific signage requirements.



## WS252

SIZE MM	SA	ACM
250 x 170	•	
340 x 240		•
450 x 300		•
600 x 480		•



### FM1409



### FM1410



### FM1411

ORCHARD SPRAYII	NG
VIII occur on this property on:	
t will be safe to re-enter on;	
roduct used:	
pplicator:	

### FM1412

SIZE MM	ACM	
450 x 300	•	
600 x 480	•	



FM1405 250 x 130 | ACM

## **SECURITY & SAFETY FIRST SIGNS**













BWS1650

BWS1651

BWS1652

BWS1653

SECURITY CAMERAS


OPERATING

AT ALL TIMES

BWS1654

SIZE MM SA ACM 170 x 250

BWS1655





**GUARD DOGS** 

**RUNNING FREE** 

ON PROPERTY

BWS1603





BWS1604

SECURITY ALARM

WILL SOUND IF

DOOR IS OPENED











BWS1608

SIZE MM	SA	ACM
250 x170	•	
340 × 240		•
450 x 300		•
600 x 480		•

BWS1606

SAFETY

YOUR OWN

MESSAGE HERE

SF1680

TRESPASSERS

WILL BE

PROSECUTED

BWS1607

SAFETY ALL ACCIDENTS MUST BE REPORTED NO MATTER HOW SMALL







SF1684

SAFETY DONT TAKE RISKS

SF1685

FIRST **KEEP YOUR** WORKPLACE SAFE SF1686

SF1681

SAFETY KEEP THIS **WORK AREA CLEAN** & TIDY AT ALL TIMES SF1687

SF1682



SF1688

## FREESTANDING SIGNS


### THE BRANDMASTER ALL TERRAIN DISPLAYS

Flexible: For quick message exchange simply slide the old sign out and the new one in.

**Robust:** Constructed from ultra strong UV stabilised HIPS. Designer frames eliminate sign droop and distortion.

**Stable:** With water fillable bases holding 11kgs or 200mm spikes, these displays aren't going anywhere! Safer for high traffic areas with lightweight construction, compact profiles and minimal floor space footprint.

### **Product Specifications:**



Freestanding water fillable base up to 11.5kg.

Principal product materials UV stabilised, high impact HIPS.



### SIDEWALK | FOOTPATH SIGNS

Does not distort or breakdown. Colour stable even in high UV areas.

Standard panel size of  $800\,x\,600mm$  (larger base can be partially filled with water or sand for additional stability) and can be supplied with wheels so they can be easily moved. Panels can be customised in profile cut designs and shapes and corporate logos can be moulded into the base.

Meets NZ local authority requirements and council by-laws.

12-month guarantee.



### **Base Colours**



### **GROUND SPIKE SIGNS**

Does not distort or breakdown. Colour stable even in high UV areas. Sign and stand overall height 600mm.

Corflute sign to fit into stand is 450 x 300mm. Single or double sided.

Sign can be made to suit your specific requirements.



### **CLASSIC A FRAME STANDS**

Lightweight robust plastic for long life and great stability. Hinge limiter ensures legs open to correct position. Can be customised to your specific needs.

Printed both sides. Approx 600mm high.









### SAFETY FLOOR GRAPHICS

Ideal to increase awareness of hazards where wall mounting is not always practical.

The floor graphics are manufactured with a hard wearing clear overlaminate film with a textured anti-slip surface and should only be applied to clean, dry, smooth surfaces.

400 x 400 | SA

SEND US
YOUR TEXT
OR IMAGE
TO PUT
HERE









FL185







CLASSIC A FRAME STANDS

Heavyweight ACM panel with hinge. Can be single or double sided 600 x 800mm or made to your size and requirements.



## TAPES & LABELS


### NON REFLECTIVE AISLE MARKING TAPE

50mm x 33m



### REFLECTIVE TAPE

45mm x 5m



## **KEEP CLEAR**

**BTKC** 

## DANGER KEEP OUT

BTDKC



BTRA



BTYB



RTCVR



BTRW

### CONSPICUITY TAPE / REFLECTIVE-TAPE



### CST

- Sold per roll
- 50mm wide, 45 metre roll

## HARD HAT LABELS

45 Diameter | SA





HHLFA

**HHLERT** 



**BARRICADE TAPE** 

Available in:

100mm x 100m

100mm x 300m Non-adhesive

Custom tape available with minimum order.



HHLVIS

HHLQFA





HHLFW

HHLSSI





HHLAFO

HHLCUSTOM

## PIPEMARKER SIGNS

Pipe markers aid in the quick identification of a pipe's contents – especially in an emergency situation. A successful pipe identification program helps employees, contractors and emergency responders to distinguish between pipes where there are several side by side. Pipe markers also save valuable time when tracing lines is necessary during maintenance.

### Where Should Pipe Markers be Located?

Pipe markers are to be placed adjacent to all junctions, valves, service appliances, bulkhead and wall penetrations. Markers shall be spaced no more than 5m apart except for long, uninterrupted straight runs of external services where spacing shall not exceed 50m.

### Pipe Marker Design/Layout Requirements

A marker is comprised of a printed word or words on a coloured background with a contrasting border and arrow to show direction of flow

### Marker Colours

The legend and background colours of a pipe marker are determined by the pipe's contents.



## PIPE400

450 x 60 | SA

350 x 50 | SA



## PIPE300

OHS


Manufactured to NZS 5807:1980 and AS1345:1995

## SOLD IN PACKETS OF FIVE

To order, choose your size and product required. Below are some examples of products; however we can manufacture pipemarkers to your specific requirements.








NATURAL GAS OXYGEN PROPANE GAS REFRIGERANT





## **SWING STAND SIGNS**



### SSAF-CSNR - NON REFLECTIVE

Approx 5kg A-Frame Sign Stand and custom printed single sided 800 x 600 ACM sign.
Just tell us what you need printed when at the checkout.

Aluminium frame, easy to set up and folds down flat. Great for construction sites, footpaths, and anywhere else a temporary safety sign is required.



### SSAF

Approx 5kg A-Frame Sign Stand to suit a  $800 \times 600$ mm sign (sold separately).

The stand has attachments so you can add a swinging sign. We can make any sign to order, including reflective for night time use.

Aluminium frame, easy to set up and folds down flat. Great for construction sites, footpaths, and anywhere else a temporary safety sign is required.



### SSAF-CSNR - REFLECTIVE

Approx 5kg A-Frame Sign Stand and custom printed single sided 800 x 600 reflective ACM sign. Just tell us what you need printed when at the checkout.


Aluminium frame, easy to set up and folds down flat. Great for construction sites, footpaths, and anywhere else a temporary safety sign is required.

## PEDESTRIAN SAFETY GATES



## 1m HIGH up to 5m WIDE EXPANDABLE BARRIER GATE EXPGATE 1 x 5

- 1 metre high gate that compacts down to 45cm and expands out to 5 metres (manual operation).
- Alternate red & white bars so the gate stands out.
- Powder coated aluminium.
- Lightweight but very effective in deterring unauthorised entry.
- Includes one end wheel and a middle wheel for extra stability and ease of use, plus brackets for anchoring to your walls etc.
- Simple manual operation slides out and back in with minimal effort.



## 1.8m HIGH up to 6m WIDE EXPANDABLE GATE EXPGATE 1.8 x 6

- · Powder coated aluminium expandable barrier.
- 1.8 metre high gate that contracts to 53 cms and expands out to 6 metres wide (manual operation).
- $\bullet \quad \hbox{Alternate red \& white bars so the gate stands out.}\\$
- Sturdy build with wall mounts at each end and a centre wheel for easy retracting and expanding.
- Suitable for large warehouse and workshop entry doors.
- Very effective at managing one of your big workshop H&S risks – unauthorised visitors!



